



Aquatic, Water Quality, Geomorphology,
& Hydrology Resources

Technical Working Group Meeting

Date:

Time:

Location:

Directions

Parking:

Discussion Topic:

Agenda/Cancellation Notice

Attendees

Summary

Handouts, Attachments & Presentations

Directions to SMUD's Customer Service Center

SMUD has two four-story buildings located adjacent to Highway 50 on the north side, between 59th Street exit and 65th Street exit. The Customer Service Center (CSC) is the newer building of the two located at 6301 S Street, and houses the Rubicon Room, Forestview 1,2, & 3, Sequoia 1,2,& 3, Timberline 1,2, & 3, and the HRL Conference Room located on the third floor (Northwest wing). The Headquarters building is located at 6201 S Street, directly west of the CSC. It houses the Headquarters' Customer Center (HCC), the Auditorium and several other conference rooms.

The Field Reporting Facility (aka FRF) is located behind the SMUD Headquarters building: go under the Light Rail overpass, then to the left about 150 yards.

Directions:

Heading East: From downtown Sacramento, head east on Highway 50, exit at **59th Street**. This exit will take you up-and-over Highway 50. Go straight at the first intersection, travel about a half mile. On your left (north) is the SMUD Headquarters building, the next building is the Customer Service Center.

Heading West: From Placerville, take Highway 50 to Sacramento and exit at **65th Street**. Go straight about one block after the first intersection. The Customer Service Center is the four-story building on your right (north).

You should be able to find parking spaces for visitors located in the area between the two buildings. There is also parking available in a parking lot on Folsom Blvd. behind the SMUD complex.

If you need assistance to find the Rubicon Room, Timberline 1,2,& 3, Sequoia 1,2,& 3, Forestview 1,2, & 3, and the Hydro Relicensing's Conference Room located on the third floor of the Northwest wing, see the guard at the lobby desk. The Headquarters Customer Center (HCC) room is located in the Headquarters building opposite the board of directors Auditorium in the first floor. Drive Safely.

Note: *Downloadable maps can be found at hydrorelicensing.smud.org/meetings/meet_loc.htm*

SMUD HEADQUARTERS AND CUSTOMER SERVICE CENTER

Relicensing Parking Lot Locations



From: David Hanson
Sent: Wednesday, October 06, 2004 2:35 PM
Subject: Changes in UARP ALP Aquatic TWG meetings

Dear Aquatic/Water Quality/Geomorphology/Hydrology Technical Working Group (TWG) Participants,

Important Notification: The Aquatic TWG meetings that had been scheduled for October 12 and 28 are cancelled.

The next Aquatic TWG meeting is scheduled for Tuesday, November 8, 2004 and will be held at the Sacramento Municipal Utility District's (SMUD) Customer Service Center (CSC) located at 6301 "S" Street in Sacramento, in Timberline 1/2/3 from 9:00 a.m. to 4:00 p.m. An agenda is attached.

The purpose of the meeting is to make presentations and discuss five reports relating to overlapping issues associated with the UARP and Chili Bar Project: 1) Flow and Fluctuation Report; 2) Carbon Cycle White Paper; 3) Phase 1 of the Chili Bar Incremental Storage Modification Study; 4) Project Sources of Sediment Report; and 5) Chili Bar Reservoir Sedimentation Deposition Report. The goal of the discussions on the five reports is to seek concurrence on steps necessary to finalize them. To facilitate the discussion these reports will be issued in advance of the November 8th meeting date to allow time for participant review. Accordingly, SMUD and PG&E plan to release the subject reports on the following schedule:

1. Flow and Fluctuation Report -- release date October 8
2. Carbon Cycle White Paper -- already released
3. Sources of Sediment Report -- release date October 8
4. Chili Bar Reservoir Sediment Deposition Report -- release date October 21
5. Chili Bar Incremental Storage Modification Report (Phase 1) -- release date October 26

In the case of the Chili Bar Dam Incremental Storage Modification Study, prior to the meeting on November 8th, SMUD and PG&E will discuss the CHEOPS modeling that was used to investigate storage modification options with the Water Balance Subcommittee. This discussion will occur at the next Water Balance Subcommittee meeting on October 25.

As always, we value and appreciate your participation. This will be a long break between meetings, and we look forward to a productive meeting. Please give me a call if you have any questions.

<<Agenda 11-08-04 rev 0.doc>>
David F. Hanson
Project Manager, Hydro Relicensing
Sacramento Municipal Utility District
Power Generation Department
6301 S Street, Mail Stop A352
Sacramento CA 95817-1899
916-732-6703
916-732-6771 Fax
916-799-2465 Cell
E-mail: dhanson@smud.org